Office	APPLICANT: Gerard W.	1
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: February 22, 2002	GROOP: 3231

U.S. PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE
PNK	5,443,505	08/22/1995	Wong et al.	623	4	8-22-95
PNH	5,869,079	02/09/1999	Wong et al.	424	426	2-9-99

FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION (YES/NO)

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

Olubr	DOCOMENTS (Including include,	
Puk	Callanan et al., "Characteristics of Rejection of Orthotopic Corneal Allografts in the Rat," <u>Transplantation</u> 45:437-443 (1988)	
	Clayson, "Corneal Lymphatics and Grafts," The Lancet 10:1291-1292 (1966)	
	Cohen et al., "A platelet-activating factor antagonist reduces corneal allograft inflammation and neovascularization," <u>Curr. Eye Res.</u> 13:139-144 (1994)	
	Collin, "Lymphatic drainage of ¹³¹ I-albumin from the vascularized cornea," Invest. Ophthalmol. 9:146-155 (1970)	
	Collin, "Corneal lymphatics in alloxan vascularized rabbit eyes," Invest. Ophthalmol. 5:1-13 (1966)	
	Cursiefen et al., "Immunohistochemical localization of vascular endothelial growth factor, transforming growth factor α , and transforming growth factor β_1 in human corneas with neovascularization," Cornea 19:526-533 (2000)	

EXAMINER	PL J. X	1	DATE CONSIDERED	4/8/at
				

V conformance with

and Trademark Office	APPLICANT: Gerald W. De V	ries 5
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: February 22, 2002	GROUP 3731

, 	
PNH	Engh et al., "Crystal structures of catalytic subunit of cAMP-dependent protein kinase in complex with isoquinolinesulfonyl protein kinase inhibitors H7, H8, and H89," <u>J. Biol. Chem.</u> 271:26157-26164 (1996)
	Fine and Stein, "The role of corneal vascularization in human corneal graft reactions," In: <u>Corneal Graft Failure</u> (Ciba Foundation Symposium)pp. 193-204 Scientific Publishers: Amsterdam, Holland (1973)
	Foulks, "Clinical aspects of corneal allograft rejection," In: <u>Cornea:</u> <u>Surgery of the Cornea and Conjunctiva</u> (Krachmer et al., eds.) 138:1687- 1696 (1997)
	Fournier et al., "Mutation at tyrosine residue 1337 abrogates ligand-dependent transforming capacity of the FLT4 receptor," Oncogene 11:921-931 (1995)
	Fournier et al., "Role of tyrosine residues and protein interaction domains of SHC adaptor in VEGF receptor 3 signaling," Oncogene 18:507-514 (1999)
	Fournier et al., "Interaction with the phosphotyrosine binding domain/phosphotyrosine interacting domain of SHC is required for the transforming activity of the FLT4/VEGFR3 receptor tyrosine kinase," J. Biol. Chem. 271:12956-12963 (1996)
	Galland, "The FLT4 gene encodes a transmembrane tyrosine kinase related to the vascular endothelial growth factor receptor," Oncogene 8:1233-1240 (1993)
	Hagedorn and Bikfalvi, "Target molecules for anti-angiogenic therapy: from basic research to clinical trials," Crit. Rev. Oncol.:Hematol.34:89-110 (2000)
	Hennequin et al., "Design and structure-activity relationship of a new class of potent VEGF receptor tyrosine kinase inhibitors," <u>J. Med. Chem.</u> 42:5369-5389 (1999)
	Joukov et al., "Vascular endothelial growth factors VEGF-B and VEGF-C," J. Cell. Physiol. 173:211-215 (1997)
V	Junghans and Collin, "Limbal lymphangiogenesis after corneal injury: An autoradiographic study," Curr. Eye Res. 8:91-100 (1989)

EXAMINER PLAN.	DATE CONSIDERED 4/8/04

: L. V.,

Commerce Falence and Trademark Office	APPLICANT: Gerald W.	2 1
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: February 22, 2002	GROUP: 3731

Palk	Karkkainen and Petrova, "Vascular endothelial growth factor receptors in the regulation of angiogenesis and lymphangiogenesis," Oncogene 19:5598-5605 (2000)
	Kirkin et al., "Characterization of indolinones which preferentially inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGF-D-induced activation of VEGFR-3 rather than inhibit VEGF-C- and VEGFR-3 rather than inhibit
_	Kirsch et al., "Anti-angiogenic treatment strategies for malignant brain tymors." J. Neuro-oncol. 50:149-163 (2000)
	Klagsbrun and D'Amore, "Vascular endothelial growth factor and its Klagsbrun and D'Amore, "Vascular endothelial growth factor and its Klagsbrun and D'Amore, "Vascular endothelial growth factor and its
	Korpelainen and Alitalo, "Signaling angiogenesis and lymphangiogenesis," Curr. Opin. Cell Biol. 10:159-164 (1998)
	Kubo et al., "Involvement of vascular endothelial growth factor receptor-3 in maintenance of integrity of endothelial cell lining during tumor angiogenesis," Blood 96:546-553 (2000)
	Li and Eriksson, "Novel VEGF family members: VEGF-B, VEGF-C and VEGF D,
	Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through the novel tyrosine kinase RAFIK Liu et al., "Cytokine signaling through th
	Maeno et al., "Three decades of corneal transplantation: Indications and nation; characteristics," Cornea 19:7-11 (2000)
	Makinen et al., "Inhibition of lymphangiogenesis with resulting lymphedema in transgenic mice expressing soluble VEGF receptor-3," Neture Medicine 7:199-205 (2001)
	McCallum et al., "Analysis of corneal and conjuctival microenvironments using monoclonal antibodies," <u>Invest. Ophthalmol. Vis. Sci.</u> 34:1793-1803
	Millauer et al., "Glioblastoma growth inhibited in vivo by a dominant-
	Mimura et al., "Expression of Vascular Endothelial Growth Factor C and Vascular Endothelial Growth Factor Receptor 3 in Corneal Lymphangiogenesis," Exp. Eye Res. 72:71-78 (2001)

EXAMINER	DATE CONSIDERED
Py N.	

whather or not citation is in conformance with

Commerce rates and Trademark Office	APPLICANT: Gerald W. De Vries	
INFORMATION DISCLOSURE	FILING DATE:	GROUP: 3731
STATEMENT BY APPLICANT	February 22, 2002	1644

Put	Mohammadi et al., "Crystal structure of an angiogenesis inhibitor bound to the FGF receptor tyrosine kinase domain," EMBO J. 17:5896-5904 (1998)
1	Naacke et al., "Outcome of corneal transplantation rejection,
	20:350-353 (2001) Niederkorn, "The immunology of corneal transplantation," Dev.
	Ophthalmol. 30:129-140 (1999) Olofsson et al., "Current biology of VEGF-B and VEGF-C," Curr. Opin.
	Paavonen et al., "Vascular endothelial growth factor receptor-3 in lymphangiogenesis in wound healing," Amer. J. Pathology 156:1499-1504 (2000)
	Pajusola et al., "Two human FLT4 receptor tyrosine kinase isoforms with distinct carboxy terminal tails are produced by alternative processing distinct carboxy terminal tails are produced by alternative processing distinct carboxy terminal tails are produced by alternative processing
	Pajusola et al., "FLT4 receptor tyrosine kinase contains to the same immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops and is expressed in multiple human tissues and immunoglobulin-like loops are loops and is expressed in multiple human tissues and immunoglobulin-like loops are loops and in the loops are loops and in the loops are loops and in the loops are looped at loop
-	Pajusola et al., "Signalling properties of FLT4, a proteolytically pajusola et al., "Signalling properties of FLT4, a proteolytically pajusola et al., "Signalling properties of FLT4, a proteolytically pajusola et al., "Signalling properties of FLT4, a proteolytically pajusola et al., "Signalling properties of FLT4, a proteolytically pajusola et al., "Signalling properties of FLT4, a proteolytically pajusola et al., "Signalling properties of FLT4, a proteolytically pajusola et al.,"
	Oncogene 9:3545-3333 (1252)
	receptors," Exper. Cell Melly:
	Stacker and Achen, "The vascular endothelial growth factor 17:1-11 (1999) signalling for vascular development," Growth Factors 17:1-11 (1999)
	Taipale et al., "Vascular endothelial growth factor recoperation of the second control o
	Tong et al., "A highly specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the killed to the specific inhibitor of human pas the
	Treseler, "The expression of HLA antigens by cells in the human cornea," Am. J. Ophthalmol. 98:763-772 (1984)

EXAMINER A. J.	DATE CONSIDERED	4/8/01
		is in conformance with

.....

if ditation considered, whether or not citation is in conformance with

and	Trademark
Offi	ce

APPLICANT: Gerald W. De Vries

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

FILING DATE:

February 22, 2002

GROUP: [3

Pult	Veikkola et al., "Signalling via vascular endothelial growth factor receptor-3 is sufficient for lymphangiogenesis in transgenic mice," EMBO J. 20:1223-1231 (2001)	
	Waldock and Cook, "Corneal transplantation: How successful are we?," <u>Br.</u> J. Opthalmol. 84:813-815 (2000)	
	Wang et al., "Signal transduction in human hematopoietic cells by vascular endothelial growth factor related protein, a novel ligand for the FLT4 receptor," <u>Blood</u> 90:3507-3515 (1997)	
	Wedge et al., "ZD4190: An Orally Active Inhibitor of Vascular Endothelial Growth Factor Signaling with Broad-Spectrum Antitumor Efficacy," <u>Cancer Research</u> 60:970-975 (2000)	
	Wilson et al., "The structural basis for the specificity of pyridinylimidazole inhibitors of p38 MAP kinase," Chem. & Biol. 4:423-431 (1997)	
	Zachary and Gliki, "Signaling transduction mechanisms mediating biological actions of the vascular endothelial growth factor family," Cardiovascular Res. 49:568-581 (2001)	

	/ .
EXAMINER \ / /	DATE CONSIDERED
A. J.	// 8/04

Title if citation considered whether or not citation is in conformance with